OLYMPUS

Your Vision, Our Future

Digital Camera

C-370 ZOOM

NEW

Easy Handling for Everyone. Beautiful Results Every Time.

Start Easy. Go Happy.

It's so easy to take beautiful pictures. Thanks to simple, clear operations and high-quality components, you'll want to shoot more and more. Compact and cute, you'll want to carry it everywhere. That's the C-370 ZOOM.

W T 3X Optical Zoom & 12X with Digital Zoom

With the built-in zoom, even faraway smiles seem almost close enough to touch. Adjust the range you want with the 3X optical zoom, or combine it with the 4X digital zoom to magnify images up to 12X.

· Images may be grainy when using the digital zoom.

5.8mm (38mm) 17.4mm (114mm) 17.4mm with 4X Digital Zoom (456mm)
( ): 35mm camera equivalent

Versatile Flash Modes

Auto, Red-eye Reduction, Fill-in, and Off modes are available. The Auto setting operates the flash automatically when it is dark. Each time you press the flash mode button, the flash mode changes sequentially.

3.2 Megapixels

With 3.2 effective megapixels, the C-370 ZOOM takes sharp, detailed pictures.

12 MB Internal Memory

You can store the images you shoot on the 12 MB built-in memory, as well as on optional xD-Picture Card memory cards.

· Images in the internal memory can not be printed at a print shop. Copy them to a memory card or similar device.

Simple Button Operation

Main functions such as flash and shooting modes can be accessed quickly using the buttons and the dial marked with icons.
To check pictures you have taken, simply press the Playback button, which is located below the Shooting button. The RESET button is useful when you want to restore the default settings.

Shooting button

Playback button

Easy Menu Guide

Easy-to-use, colour-coded menus guide you quickly to the item you want with no confusion. The convenient Help function displays brief explanations of shooting modes, etc.

Menu screen



Help function

Shooting Modes Customised for Each Scene

Choose the shooting mode to match the scene by rotating the mode dial.
This lets you shoot superb pictures with ease. Six modes, including Movie, are available.

Programme Auto

All-round mode for normal shooting situations.

Portrait

Provides natural skin tones. Background is blurred so subjects stand out.

Landscape

Sharp, vivid pictures of sweeping landscapes.

Night Scene

Clearly captures the scattered lights of nighttime scenes.
· A tripod is recommended.

Self Portrait

Take quality photos of yourself while holding the camera.

Movie

Record live-action sports, children, friends, pets, and much more.



Close-ups

With Macro or Super Macro mode, you can shoot with the camera close to the subjects for marvellous close-ups of small objects such as flowers, jewellery, butterflies, and more.

Super Macro mode

PictBridge Direct Printing

Connect the camera to a PictBridge-compatible printer, such as the P-10, with the included USB cable, and print out your images directly without a computer.

PictBridge

Camera Case Available

The optional leather case (Case C-310/370/470) can help protect the camera from damage.

Case C-310/370/470

Olympus' PictBridge-compatible
P-10 Digital Photo Printer and C-370 ZOOM

All the sample shots in this catalogue were taken with the C-370 ZOOM.

System Chart



Optional Accessories

xD-Picture Card
Ultra-compact and removable memory card for image data storage. (16, 32, 64, 128, 256, 512 MB, 1 GB*)

MAUSB-10 USB Reader/Writer
For easy and fast data transfer from an xD-Picture Card/SmartMedia card to a PC/Macintosh with a USB port.



MAUSB-300 USB Reader/Writer
For high-speed data transfer from an xD-Picture Card to a PC/Macintosh with USB 2.0 interface.

MACF-10 CF Card Adapter
For using an xD-Picture Card with digital cameras or computers with a CF card slot.

MAPC-10 PC Card Adapter
For easy and fast data transfer from an xD-Picture Card/SmartMedia card to a PC/Macintosh with a PC card slot.

B-01 4PE Ni-MH Batteries
4 rechargeable nickel metal-hydride batteries.

BU-70SE Quick Charger with Batteries
Battery charger with 4 rechargeable nickel metal-hydride batteries.

Case C-310/370/470 Leather Case
Durable camera case to protect the camera from damage.

P-440 Digital Photo Printer
High image quality, high-speed printer capable of up to A4-size prints. Dye-sublimation printing.

P-10 Digital Photo Printer
PictBridge-compatible printer for direct printing without a computer. Dye-sublimation printing.

C-370 ZOOM Digital Camera Specifications

Recording system	Still image: JPEG with DCF (Design rule for Camera File system). Exif 2.2, PRINT Image Matching II, DPOF (Digital Print Order Format) support. Motion JPEG image: QuickTime Motion JPEG support
Memory	xD-Picture Card (16, 32, 64, 128, 256, 512 MB, 1 GB*), 12 MB internal memory
No. of effective pixels	3.2 megapixels
Image pickup element	1/2.7-inch CCD solid-state image pickup device, total 3.3 megapixels
Recording image sizes & approx. no. of storable frames SHQ: Super High Quality HQ: High Quality SQ1: Standard Quality-1 SQ2: Standard Quality-2	2048 x 1536 pixels – SHQ: 5, HQ: 14 1600 x 1200 pixels – SQ1: 18 640 x 480 pixels – SQ2: 68 (When using 12 MB internal memory)
Lens	Olympus lens 5.8 – 17.4mm, f2.9 – 5, 7 elements in 6 groups (equivalent to 38 – 114mm on a 35mm camera)
Optical zoom	1 – 3X (up to approx. 12X with 4X digital zoom)
Sensitivity	Auto (approx. ISO 64 – 250)
Photometric system	Centre-weighted average light metering
Exposure control	Programme auto exposure Aperture: f2.9 – 7 Shutter speed: 2 – 1/2000 sec. Compensation: ±2 EV in 1/3 EV steps
Shooting mode	Programme Auto Scene Programmes: Portrait, Landscape, Night Scene, Self Portrait Movie (Motion JPEG image recording)
Focusing	TTL contrast detection system autofocus Focusing range: Normal mode: 50cm – ∞ (Wide), 90cm – ∞ (Tele) Macro mode: 20 – 50cm (Wide), 50 – 90cm (Tele) Super Macro mode: as close as 2cm (focal length fixed)
White balance	Auto
Motion JPEG image recording	320 x 240 pixels: approx. 36 sec., 160 x 120 pixels: approx. 2 min. 25 sec. (When using 12 MB internal memory)
LCD monitor	3.8 cm/1.5" TFT colour LCD, approx. 130,000 pixels
Still image playback	Single Frame, Index (4, 9 frames), Slideshow, Close-up (up to 4X), Rotation
Motion JPEG image playback	Normal
Flash working range	Wide: Approx. 0.2 – 3.8m / Tele: Approx. 0.5 – 2.2m
Flash modes	Auto (automatic flash activation in low light and backlight), Red-eye Reduction, Fill-in (forced activation), Off (no flash)
Selftimer	Electronic selftimer with 12 sec. delay
External connectors	DC-IN jack, video output connector, USB connector
PictBridge	Compatible
Calendar system	Up to 2099, recorded with picture data simultaneously
Power supply	Two AA nickel metal-hydride batteries, AA alkaline batteries (Do not use zinc-carbon batteries.) Exclusive AC adapter (optional)
Dimensions	87.5 (W) x 62.5 (H) x 38.5 (D) mm (excluding protruding parts)
Weight	140g (without batteries/card)

- QuickTime is a trademark of Apple Computer, Inc.
- All other company and product names are registered trademarks and/or trademarks of their respective owners.
- The pictures in this catalogue of the LCD and PC monitors and the print samples are simulated.
- Specifications and appearances are subject to change without any notice or obligation on the part of the manufacturer.

*Available in 2005.

OLYMPUS Master Software

This camera comes with fun, easy-to-use OLYMPUS Master software that lets you browse, organise, and edit images on your computer. Features include a convenient Calendar View function that lets you sort pictures by shooting date, a Keyword Search function for quick access to pictures you're looking for, plus monochrome editing, postcard print setting, RAW data processing, and more. Very demanding users can choose to upgrade to the optional OLYMPUS Master Plus software, which makes it possible to create HTML albums, edit movies at an advanced level, and write digital images to CD or DVD.

Required Personal Computer Environment
OS: Windows 98SE/Me/2000 Professional/XP, Mac OS 10.2 or later
Interface: USB port

Calendar View screen


Editing screen

Printing screen

OLYMPUS
Your Vision, Our Future

OLYMPUS EUROPA GMBH
www.olympus-europa.com

Printed in Germany · OE · 37.2 · 9/04 · Hab.